

ABOUT TIMES-7

Pushing the boundaries of RFID technology worldwide Times-7 are leaders in RFID antenna design and manufacture. Our patented award winning UHF antennas meet the needs of virtually any industry application; providing customers with fast accurate tracking of products, assets & people; empowering organizations to transform processes & reduce costs.

Our SlimLine range of antennas are unique in the RFID industry; offering high levels of performance & durability in an aesthetically superior form.

Proven in a diverse & growing range of markets, applications include: retail & customer interaction, conference & people tracking, event & race timing, baggage handling, and logistic & supply chain asset management.

Times-7 Research Ltd
29 Railway Avenue
Lower Hutt 5010
New Zealand
P: +64 4 569 1500
F: +64 4 569 1400

APAC
P: +64 4 974 6566

AMERICAS
P: +1 858 225 2214

EMEA
P: +31 411 62 29 49

E: info@times-7.com
www.times-7.com



PRODUCT CATALOG



For further product information including detailed technical specifications and authorized channel partners, please visit: www.times-7.com

SLIMLINE MULTI-PURPOSE ANTENNAS

Ultra low profile UHF RFID antennas suitable for a range of applications including flush wall & door frame mounting, space constrained and customer facing environments.



A6031 CIRCULAR POLARIZED ANTENNA

Ultra-low profile circular polarized flat panel antenna, suitable for both indoor & outdoor use with a read range up to 4m/13ft.

Gain: 4 dBic

Dimensions:

275x214x12 mm

10.8x8.5x0.5 in.

Part No:

ETSI 70804 / FCC 70810



A6032 CIRCULAR POLARIZED ANTENNA

Ultra-low profile circular polarized flat panel antenna, suitable for both indoor & outdoor use with a read range up to 6m/19.5ft.

Gain: 7 dBic

Dimensions:

391x275x12 mm

15.5x10.8x0.5 in.

Part No:

ETSI 70802 / FCC 70808



A4030C CIRCULAR POLARIZED ANTENNA

Ultra-low profile circular polarized flat panel antenna, suitable for both indoor & outdoor use with a read range up to 6m/19.5ft.

Rear connector / Gain: 6.5 dBic

Dimensions:

280x280x12 mm

11x11x0.5 in.

Part No:

ETSI 71269 / FCC 71270



A4030L LINEAR POLARIZED ANTENNA

Ultra-low profile linear polarized flat panel antenna, suitable for both indoor & outdoor use with a read range up to 9m/29.5ft.

Rear connector / Gain: 7.5 dBi

Dimensions:

280x280x12 mm

11x11x0.5 in.

Part No:

ETSI 71271 / FCC 71272

SLIMLINE MULTI-PURPOSE ANTENNAS

Ultra low profile UHF RFID antennas suitable for a range of applications including flush wall & door frame mounting, space constrained and customer facing environments.



A6034S CIRCULAR POLARIZED ANTENNA

Ultra-low profile circular polarized flat panel antenna, suitable for both indoor & outdoor use with a read range up to 9m/29.5ft.

Gain: 9 dBic

Dimensions:

394x394x12 mm

15.5x15.5x0.5 in.

Part No:

ETSI 71002 / FCC 71003

A6034 CIRCULAR POLARIZED ANTENNA

Ultra-low profile circular polarized flat panel antenna, suitable for both indoor & outdoor use with a read range up to 9m/29.5ft.

Gain: 9 dBic

Dimensions:

747x314x12 mm

29.4x12.4x0.5 in.

Part No:

ETSI 70803 / FCC 70809



A8060 LINEAR POLARIZED DOOR FRAME ANTENNA

Ultra-low profile linear polarized flat panel antenna, super convenient size to fit existing doorways. Can be combined with ground antenna (e.g. A6590C) to create effective RFID portal solution.

Gain: 5 dBi

Dimensions:

650x86x8 mm

25.6x7.3x0.3 in.

Part No:

ETSI 71442 / FCC 71416



SLIMLINE SHELVING & CABINET ANTENNAS

Ultra-thin UHF antennas suitable for RFID smart shelving solutions and RFID enabled cabinets.



A7030C CIRCULAR POLARIZED SHELF ANTENNA

Ultra-low profile circular polarized flat panel antenna. Innovative 'Array-Ability' design, easily customised & scalable, suitable for existing shelving systems & cabinets.

Gain: ETSI: 5 dBic / FCC: 6 dBic

Dimensions:

300x300x8.5 mm

11.8x11.8x0.3 in.

Part No:

ETSI 71582 / FCC 71584

A7040 / A7060 / A7075 LINEAR POLARIZED SHELF ANTENNA

Ultra-low profile linear polarized flat panel antenna. Total thickness just 8 mm / 0.3 in., suitable for shelving & cabinets.

Gain: A7040: 7.5 dBi / A7060: 9 dBi / A7075: 10 dBi

Dimensions:

A7040

400x250x8 mm

15.7x9.8x0.3 in.

Part No:

ETSI 71201

FCC 71204

A7060

600x250x8 mm

23.5x9.8x0.3 in.

Part No:

ETSI 71303

FCC 71304

A7075

750x250x8 mm

29.5x9.8x0.3 in.

Part No:

ETSI 71202

FCC 71205

PROXIMITY / NEAR FIELD UHF ANTENNAS

Offering a breakthrough in size and performance where short read ranges are required, the Times-7 range of near field antennas are opening up new possibilities for item level RFID tracking.

A1001 PROXIMITY / NEAR FIELD ANTENNA

Smallest commercially available wideband near field UHF antenna. Read distance of 0 to 10 cm / 3.4 in.

Dimensions:

82x82x9.5 mm

3.2x3.2x0.3 in.

Part No:

ETSI & FCC 71203



A1030 PROXIMITY / NEAR FIELD ANTENNA

Thinnest & largest commercially available near field UHF antenna. Just 6.5 mm / 0.25 in. thick with a large working area.


Dimensions:

300x300x6.5 mm

11.8x11.8x0.25 in.

Part No:

ETSI 71583 / FCC 71585



SLIMLINE GROUND ANTENNAS

Unique and versatile range of UHF RFID ground antennas, designed for tracking people or assets through doors, entrance / exit ways, portals, and for event race timing.



A5531 LINEAR POLARIZED GROUND ANTENNA

Ultra-low profile linear polarized ground antenna with rugged durable design suitable for industrial applications.

Kydex radome.

Gain: 10 dBi


Dimensions:

1200x195x10 mm

48x7.7x0.4 in.

Part No:

ETSI 71103 / FCC 71100



A6590 L/C LINEAR / CIRCULAR POLARIZED GROUND ANTENNA

Ultra-low profile ground antenna with rugged durable design, suitable for people tracking applications.

Linear & circular polarized options available.

Kydex radome.

Gain: A6590L: 10dBi / A6590C: 7 dBic

Dimensions:

910x300x8 mm

36x12x0.3 in.

Part No:

A6590L: ETSI 71234 / FCC 71211

A6590C: ETSI 71324 / FCC 71325



A5531-E LINEAR POLARIZED EMBEDDED GROUND ANTENNA

Ultra-low profile heavy duty antenna, can be embedded into concrete floors. Withstands moving vehicles & very heavy point loads. Reinforced composite housing.

Gain: 10 dBi

Dimensions:

1260x255x20 mm

50x10x0.8 in.

Part No:

ETSI 71503

FCC 71521

A5530 LINEAR POLARIZED GROUND MAT ANTENNA

Ultra-low profile ground mat antenna suitable for movements of people, products or vehicles.

Robust & superb aesthetics, ideal for event & race timing.

Polyurethane housing.

Gain: 10 dBi

Dimensions:

1220x600x12 mm

48x24x0.5 in.

Part No:

ETSI 70887

FCC 70890



RACE TIMING ANTENNA SYSTEM SLIMLINE RTAS

Complete race timing antenna system for deployments of up to 7 antennas.

Colour-coded mats & cables, with inter-connecting straps.

Portable, fast and easy to set up.

Polyurethane housing.

Gain: 10 dBi

Dimensions (per mat) :


1220x600x12 mm

48x24x0.5 in.

Part No:

Please refer to RTAS Data Sheet





A6011 CIRCULAR POLARIZED UNDERBELT ANTENNA

Flat panel antenna array encased in an ultra-low profile UHMWPE radome. Especially suited to conveyor belt-based UHF RFID applications, e.g. airport baggage handling.

Gain: 11 dBic

Dimensions:

1200x600x12 mm

48x24x0.5 in.

Part No:

ETSI 70730 / FCC 70731



anter

A6015 CIRCULAR POLARIZED SELF CHECK-IN ANTENNA

Flat panel antenna array encased in a polyethylene radome. Designed to be integrated into self check-in airport systems and includes active beam sweeper technology.

Gain: 4 dBic

Dimensions:

380x549x12 mm

15x21.6x0.5 in.

Part No:

ETSI 70994 / FCC 70933



A6020 CIRCULAR POLARIZED CONVEYOR PORTAL

Antenna portal for conveyor-belt based UHF RFID applications. Designed to provide industry leading assignment rates and be easily installed into existing infrastructure.

Gain: 11 dBic

Part No:

ETSI 70820 / FCC 70913

OUR GLOBAL NETWORK

Times-7's international support spans across the globe through our authorized reseller & integrated solutions partners.



CORPORATE HEADQUARTERS

TIMES-7 RESEARCH LTD.

P: +64 4 974 6566 (APAC)

P: 1-858-225-2214 (AMERICAS)

P: +31 411 62 29 49 (EMEA)

E: info@times-7.com

www.times-7.com



WWW.TIMES-7.COM